# **RAN**pump

# Ran<sup>®</sup> 1" (25.4 mm)


### Aluminium Body Diaphragm Pump

## Technical Specifications

Pump Code	D25-A0-2
мах. Flow Rate	208 lpm
мах. Pump Speed	280 cpm
Displacement per cycle	0.74 liter
Fluid Inlet- Outlet Size	1" NPT
Air Inlet Size	3/8"
мах. Fluid Working Pressure	8 bar
Max. Air Consumption (at 5 bar)	1 m <sup>3</sup> /min
Ratio	1:1

Pump Housing Material	Aluminium
Center Section Material	Polypropylene
Max. Size Pumpable Solids	3 mm
Max. Suction Lift	9.5 m (Wet) 5 m (Dry)
Max. Opreating Tempreture	82 °C
Sound Level	75 dBa (at 5 bar)
Diaphragm Material	Buna-N
Check-Valve Material	Buna-N
Weight	9 kg

### Performance Curves



### **Made in Turkey**



Test Conditions: All tests are made with water.
Suction hose submerged in the fluid. Muffler not used.
All the values are shown are approximate and not binding.

Example: To pump 88 lpm against a discharge preasure of 2 bar, requires 5 bar and 43.8 m<sup>3</sup>/h air consumption.

# Dimensions A 268 B 323 C 210 D 410 E 208 F 120 G 10.5 All dimensions are in mm.